```
L305 ANSWER 98 OF 145 USPATFULL
       1999:85363 USPATFULL
       Laundry pretreatment with peroxide bleaches containing chelators
ΤI
       for iron, copper or manganese for reduced fabric damage
       Del Duca, Valerio, Massa Lubrense, Italy
IN
       Park, John Scott, Tyne & Wear, United Kingdom
       Rapisarda, Dario, Rome, Italy
       Stoddart, Barry, Tyne & Wear, United Kingdom
       Trani, Marina, Rome, Italy
       Yousaf, Taher Igbal, Egham, United Kingdom
       Procter & Gamble Company, Cincinnati, OH, United States (U.S.
PΑ
       corporation)
PΙ
      US 5929012
                               19990727
      WO 9626999 19960906
      US 1998-894830
                               19980123 (8)
ΑI
                               19960220
      WO 1996-US2219
                               19980123 PCT 371 date
                               19980123 PCT 102(e) date
PRAI
      EP 1995-870018
                           19950228
DT
      Utility
FS
      Granted
EXNAM Primary Examiner: Fries, Kery
      Cook, C. Brant, Zerby, Kim W., Rasser, Jacobus C.
LREP
      Number of Claims: 21
CLMN
ECL
      Exemplary Claim: 1,2
      No Drawings
DRWN
```

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

LN.CNT 976

AB A process for pretreating soiled fabrics prior to washing with a liquid composition comprising a peroxygen bleach, a nonionic surfactant, an anionic surfactant and a compound chelating copper and/or iron and/or manganese is provided. The liquid composition used in such process is also provided.

```
L305 ANSWER 144 OF 145 WPIDS (C) 2003 THOMSON DERWENT
     1985-100580 [17]
                        WPIDS
DNC
    C1985-043457
     1-Hydroxy pyrid-2-one derivs. - used for removal of excess body iron or
ΤI
     treatment of anaemia.
DC
     HIDER, R C; KONTOGHLOR, G; SILVER, J; STOCKHAM, M A; KONTOGHIORGHES, G
IN
PA
     (NATR) NAT RES DEV CORP; (BRTE-N) BRITISH TECHNOLOGY GROUP LTD
CYC
                  A 19850424 (198517)* EN
ΡI
     EP 138420
         R: BE CH DE FR GB IT LI NL SE
     GB 2146990
                  A 19850501 (198518)
     JP 60094966
                  A 19850528 (198527)
     DK 8404535
                  A 19850324 (198528)
     US 4587240
                  A 19860506 (198621)
     ZA 8407409
                A 19860320 (198626)
     GB 2146990 B 19870520 (198720)
     EP 138420
                  B 19891129 (198948)
         R: BE CH DE FR GB IT LI NL SE
     DE 3480599
                  G 19900104 (199003)
     US 34313
                  E 19930713 (199329)
                                              19p
     JP 05066385
                  B 19930921 (199340)
                                              18p
     JP 05246992
                  A 19930924 (199343)
                                              12p
                  B2 19960207 (199610)
     JP 08011729
                                              12p
ADT EP 138420 A EP 1984-306437 19840920; GB 2146990 A GB 1983-23800 19830920;
     JP 60094966 A JP 1984-201407 19840925; US 4587240 A US 1984-651772
     19840918; ZA 8407409 A ZA 1984-7409 19840920; GB 2146990 B GB 1984-23800
     19840920; US 34313 E US 1984-651772 19840918, Cont of US 1988-253579
     19881005, US 1991-769492 19911001; JP 05066385 B JP 1984-201407 19840925;
     JP 05246992 A Div ex JP 1984-201407 19840925, JP 1992-248272 19840925; JP
     08011729 B2 Div ex JP 1984-201407 19840925, JP 1992-248272 19840925
    US 34313 E Reissue of US 4587240; JP 05066385 B Based on JP 60094966; JP
FDT
     08011729 B2 Based on JP 05246992
                                                 19840920
                     19830923; GB 1984-23800
PRAI GB 1983-25496
           138420 A UPAB: 19930925
AB
     EP
     1-Hydroxypyrid-2-one and their salts (I) are new in which one or more of
     the C attached H atoms are replaced by the gps.: aliphatic acyl, aliphatic
     amide, aliphatic amino, carboxy, CN, aliphatic ester, halo, OH, sulpho,
     alkoxy and alkoxy substd. by alkoxy, aliphatic amide, aliphatic amine,
     aliphatic ester, halo or OH groups. Excluded are cpds. in which the only
     substituents are aliphatic hydrocarbyl, halo and halo aliphatic
     hydrocarbyl and those with an acetamido, amino, butoxy, carbamyl, carboxy,
     CN, ethoxy, ethoxycarbonyl, methoxy or propoxy at the 4 position.
          Compounds used for removal of excess body iron are (I) but without
     the restriction of the specific substituents at position 4. Iron
     complexes of such cpds. are also used for treating iron deficiency
     in animals. Prepn. comprises e.g. standard substitution reactions on
     1-hydroxypyrid- 2-ones or 2-hydroxypyridine-1-oxides.
```

0/0